



V 1.1 - 082024

## PeopleLink Wall Mount Speakers



PeopleLink wall mount speaker is ideal for Meeting rooms, Conference rooms, Class rooms and Auditoriums. With high power handling and a 5.25-inch polypropylene woofer, the speaker delivers superior sound that covers large spaces. It has a "Fully Sealed Design" with aluminum grilles which allows it to be fully exposed to all outdoor conditions and yet have the ability to deliver high quality sound for all conference room environments. Dual-axis mounting solution allows a range of rotations 90 degree vertical and 170 degree horizontal.

## Product Features

- **Fully sealed design**
- **Dual-axis:** Dual-axis vertical or horizontal mounting option provides the absolute best sound coverage.
- **Titanium Dome Tweeter:** Reproduces high frequencies with extreme accuracy.
- **Polypropylene Woofer:** Maintains a uniform dispersion pattern at all frequencies in its range and produces a cleaner sound to the listener.
- **Heavy-Duty Terminal Connectors:** For superior connectivity and longer operating life.
- **Dustproof and Water-Resistant IP Rated Design:** Perfect for high humidity areas.
- **Shielded Grill:** Offers additional protection from dust and damage.

## General Specifications

**Product Category** : Wall Mount Speaker

**Enclosure material** : ABS Plastic

**Woofer Type** : Polypropylene Cone

**Woofer Size** : 5.25"

**Tweeter Type** : Titanium dome

**Tweeter Size** : 1"

**Frequency Response ( $\pm 3\text{dB}$ )** : 90Hz-20kHz

**Impedance** : 8 ohms

**Power RMS** : 50 Watts

**SPL (sound pressure level)** : 90dB

**Audio Input** : 1 pair metal Binding Post terminals

**Speakers terminal Dust cover** : 1nos

**Grill Type** : Rectangular Grill

**Speakers overall physical dimension (mm)** : 190/158/250mm ( 7.5" x 6.2" x 9.8" )



Dual-axis mounting solution either Vertical and Horizontal placement for the absolute best sound coverage



Titanium dome tweeter delivers pristine highs 5" Polypropylene woofer delivers deep clear bass




Heavy-duty speaker terminals



Rust-resistant aluminum mount and grille for longer operational life

## Application Scenarios



**Disclaimer:-** Room setup diagrams are provided for reference only. Actual room setup and size may vary as per requirements.

## Ordering Information

PeopleLink Wall Mount Speakers : **PPU-PAS-WM-SPK**

### LEARN MORE

For more information on **PeopleLink Wall Mount Speakers** [Click Here](#)

## SALES AND INQUIRIES

### Global Headquarters

Q3-A3, 10th Floor Cyber Towers,  
HITEC City, Hyderabad,  
Telangana 500081, **India**  
**Phone:** +91 9100123013  
**Email:** [vc@peoplelinkvc.com](mailto:vc@peoplelinkvc.com)

### International Contact Numbers

**USA:** +1 669-696-8383

**Australia:** +61 370 037070

**France:** +33 6 80 75 26 42

**Middle East:** +966 5300 19292

**UK:** +44 20 4571 5454

**UAE:** +971 4 3339082

**Canada:** +1 647-945-7373

**Malaysia:** +(6)018-2872188

**New Zealand:** +64-9-802-4666

**Africa:** +254 722 619 314

### Tech Support

**Toll Free:** 1800 208 3399  
[customersupport@peoplelinkvc.com](mailto:customersupport@peoplelinkvc.com)