



## PeopleLink 4K Eagle Camera



PeopleLink Eagle 4K Webcam is designed to create a life-like face-to-face experience with its 4K audio / visual delivery. A plug-and-play device that displays the sharpest possible image in 4K@30fps and has 110° FOV, Built-in Microphones, and a USB 3.0 Type C port. This powerful camera captures even the minute details with minimal bandwidth usage. Eagle 4k Webcam also offers seamless connectivity with various instant messaging and video Conferencing solutions like PeopleLink inMeet and any other Software-based VC.

### **Key Features**

- Ultra HD Super Wide Angle: Equipped with a new generation of UHD CMOS image sensor, with more accurate native resolution, richer color information, four times the effect of high- definition images, and shoots fulldetailed 4K video. Equipped with a 110° super- large viewing angle and lowdistortion 4K lens for panoramic views.
- USB 3.0: Full-featured USB 3.0 interface, which integrates power supply, video, and audio. It can also support 2 USB video signal sources (optional) and one audio source at the same time.
- Microphone Array Formed by Wave
   Velocity: Built-in beamforming microphone
   array, unique noise suppression algorithm,
   and automatic gain algorithm, the pickup
   distance is up to 6m, so that your voice is
   perfectly presented.





## **General Specifications**

#### **Camera**

Sensor: 1/2.7'', CMOS Effective Pixel: 8.29M

**Scanning Mode:** Progressive

**Lens Mount :** M12

Focal length: 2.2mm,

**Horizontal FoV:** 110°

**DFOV:** 120°

**Zoom:** 8 X Digital Zoom

Minimal Illumination: 0.05 Lux @ (F1.8, AGC ON)

**Shutter :** 1/30s ~ 1/10000s

White Balance: Auto, Indoor, Outdoor, One push, Manual

Camera bracket: Bracket with damper

**Digital Noise Reduction**: 2D, 3D digital noise reduction

Audio Pickup Range: 6 meters

**Privacy Shelter:** Support

#### **USB Features**

**Operate System :** Windows<sup>®</sup> 7 (1080p and under only), Windows 8.1, Windows 10 or higher macOS™ 10.10 or higher, Google™ Chromebook™ Version 29.0.1547.70 or higher, Linux

**System Requirement :** 2.4 GHz Intel<sup>®</sup> Core 2 Duo processor or higher 2 GB RAM or more, USB 2.0 port (4K require USB 3.0)

Color System / Compression : H.264 / MJPEG / YUY2 / NV12

Video Format:

4k@30fps/25fps, 1080p@30fps/25fps, 720p@30fps/25fps, 960 x 540p@30fps/25fps, 640 x 360p@30fps/25fps

**USB Video Communication Protocol:** UVC 1.1

**UVC ePTZ:** Support

### **Input/Output Interface**

**USB Interface**: 1 x USB 3.0: Type C **Infrared remote control**: Support

### **key Features**

- AI capability: Multi-layer convolutional neural network design, cutting-edge deep learning algorithm so that the camera has intelligent characteristics, high-quality analysis data can be obtained through open API.
- Auto Framing: Using advanced deep learning algorithms, automatically adjusts the viewing angle of the screen according to the detection field of view, eliminating the need for manual adjustment of camera operations, and bringing you a brand-new intelligent experience.
- AI Humanoid tracking: Built-in NNE hardware
  unit using deep learning technology to extract
  target features. It can achieve smooth human
  figure tracking no matter where the person is
  facing, which is suitable for application scenarios
  such as speaker automatic tracking.
- Convenient operation: Operate with exquisite infrared remote control and exclusive software, one-key.

### **General specification**

Input Voltage: 5V (USB power supply)

Current Consumption: 600mA (MAX)

Operating Temperature: 0°C ~ 40°C

Storage Temperature: -40°C ~ 60°C

Power Consumption: 3.0W (MAX)


**Dimentions:** 118mm x 37.2mm x 30.8mm


MTBF: 30000h



# **Application Scenarios**







Disclaimer:- Room setup diagrams provided for reference only. Actual room setup and size may vary as per requirements.

# **Mounting Options**



# **Ordering Information**

Part code : PPU-PVC-WC-I9

#### **LEARN MORE**

For more information on Eagle 4K Webcam Click Here

#### SALES AND INQUIRIES -

### **Global Headquarters**

Q3-A3, 10th Floor Cyber Towers, HITEC City, Hyderabad, Telangana 500081, **India** 

Phone: +91 9100123013
Email: vc@peoplelinkvc.com

### **International Contact Numbers**

USA: +1 669-696-8383 Australia: +61 370 037070 France: +33 6 80 75 26 42 Middle East: +966 5300 19292 UK: +44 20 4571 5454

### UAE: +971 4 3339082 Canada: +1 647-945-7373 Malaysia: +(6)018-2872188 New Zealand: +64-9-802-4666 Africa: +254 722 619 314

### **Tech Support**

**Toll Free:** 1800 208 3399 customersupport@peoplelinkvc.com