

PeopleLink Interactive Display S75

Redefine Smarter Collaboration with PeopleLink Interactive Display S75

Let the versatile 4K UHD interactive display bring more collaboration and student engagement to your classroom. Turn the display into digital whiteboard, share files in one touch, and use your favorite software all with your fingers and the press of a button. PeopleLink S75 Interactive display works in your world and lets you interact your way.

Superior Touch Experience

With Peoplelink S75 state-of-the-art touch technology, Users can annotate with a writing stylus or fingers which is as natural as writing on papers.

Interaction made easy.

PeopleLink S75 Interactive display brings efficiency to your classes and teams so you can interact with ease, anytime. With a lightweight slim frame design, Windows system and built-in OS support, embedded tools and a personalized user interface, it's the perfect solution to seamless collaboration in school and in the office.

Interact with the whole group

PeopleLink S75 Interactive display series supports up to 20 points of touch, allowing multiple users to interact at the same time. With smooth and responsive touch, anyone can take notes, write and draw on the screen, making the classroom a truly collaborative space.

Customize the interface to meet your needs

Whether you need a display for your classroom or conference room, the PeopleLink S75 Interactive display lets you easily change the screen theme and personalize the user interface on your built-in operating system. Keep the home screen simple while giving your team quick access to any tools they might need.



Product Features

- · Stunning 4K UHD resolution redefines clarity
- · High accuracy touch screen
- · All-channel annotating
- · Built-in Android writing software with hand writing recognition and object recognition
- 4K Android system UI(OPS is also 4K). Three Launchers design for your choice
- · 4 way Split Screen in Whiteboard
- · Screen Capture to save and email
- · Support auto turn off, sleep timer and the other features
- · Support Audio only mode
- · Support wake up on HDMI, wake up on Lan
- Support HDCP2.2(HDMI1.4/2.0)

Product Specifications

Panel Features

Display Size : 75 inch
Display Type : D-LED IPS

Resolution : 3840(H) ×2160 (V)

Aspect Ratio : 16:9

Display Color : 1.06Billon colors

Pixel Pitch : 0.372mm*0.372mm

Brightness : Minimal 350cd/m2, typical 400cd/m2

Response Time(ms) : 6-8ms
Glass Thickness : 4mm

Touch Surface : Anti - Glare and Anti scratch

View Angle : R/L 178 (Min.), U/D 178 (Min.)

Contrast ratio : 1200:1

Dynamic Contrast Ratio : 30000:1

Life Time : 50,000hrs

Bonding : Zero Bonding

Video Features

Video process and transform : 3D digital comb filter and 3D noise reduction, dual 3D dynamic

video progressive scan etc

Sound/Speaker Features

Speaker Type : 2pcs Built-in,Left/Right

Speaker Output : 20W × 2

Audio Stereo Balance, automatic volume control, surround sound, fiber optic

mode, the equalizer



Product Specifications

Rear Interfaces

VGA Input : 1
VGA Audio Input : 1
Android USB 2.0 : 1
Android USB 3.0 : 1
USB touch : 1
HDMI 2.0 Input : 2
HDMI output : /
RS232 : 1

RJ-45 : RJ45 IN*1,100M

SPDIF Out (Audio Out) : 1, Coax

WIFI / Hotspot : Dual band (5G & 2.4G), WiFi 6(WiFi and BT5.2)+WiFi

5(hotspot), Miracast will not be functional with Hotspot ON

Bluetooth : 5.2

Line out : 1

OPS interface : 1, Slot size: 198*180*30mm

Front Interfaces

HDMI in : 1
USB touch : 1

Public USB3.0 : 2

Type C (Only for data transfer) : 1

Touch Screen

Induction Method : Infrared Ray
Surface hardness : 9H MOHS

Touch points : Infrared IR 20 points .

Writing Style / Touch Differentiation : Finger/Pen or any solid object

Tolerance : ± 2 mm

Communication Interface : USB

Resolution : 32768×32768

Support Operation System : Windows 10/8/7/XP/ Linux ,Mac / Android / Chrome Book



Product Specifications

Other features

- 4K Android system UI(OPS is also 4K)
- Screen Share with 2 way annotation
- · Support auto turn off, sleep timer and the other features. Support Audio only mode
- · Support wake up on HDMI, wake up on LAN
- Support HDCP2.2 (HDMI1.4/2.0)
- Support UI, launguage, software function etc. customization
- 4K Android system UI (OPS is also 4K)

Android

OS Version : Android 12

CPU : A55*8

GPU Quad core MaliG52 MC4

Flash : 32GB

Touch Infrared IR 20 points

OPS

RAM

OPS (Optional)

i5 10th Gen with 8GB RAM, 256GB SSD onwards i7 8th Gen with 8GB RAM, 256GB SSD (Optional)

Writing Board Software

This product supports hand writing and object recognition and produces different effects according to the diameter and size of the input objects.

Object Recognition : - Fist/palm: identified as an eraser (100 pt).

4GB

- Fine Pen (3mm): suggested to use while writing.

Thick Pen (≥ 8 mm)/ finger: suggested to use
 When you want to highlight

Smart writing of different colors & annotation (1000+ Colors),

Support

Annotation facility on the top of the contents, shown on internal or external devices

Support



Product Specifications

Remote control menu, sleep, source Remote control/menu Support menu in all languages

Wall mount : VESA Standard

AC:100 ~ 240V 60/50HZ Input voltage

Power rate ≤320W

Standby ≤0.5W

Remote control, power cable, touch pens*2, HDMI cable* Accessories

1, USB touch cable*1, wall mount*1

Environment

Working Temperature : 0°C ~ 40°C

: 20% ~ 85% Working Humidity

storage Tempreture : -10°C ~ 60°C

: -10°C ~ 90°C storage Humidity

Structure

Nude H4 Dimension(L*H*W) : 1707.16*1033.62*90.6mm

Packing size (Carton+Pallet) : 1880*(1160+110)*230mm

N.W : 54.51kg

G.W : 71.14kg

G.W with Wooden Pallet : 79kg

: 600mm*400mm **VESA**

Ordering Information

PeopleLink Interactive Display S75 : PDS-ICB-4K-S75

V.5.0 / 09 /2023

GLOBAL HEADQUARTERS

Q3-A3, 10th Floor, Cyber Towers, Hitech City, Madhapur, Hyderabad - 500 081 (India)

Phone: +91 (40) 66903959 / 60 Email: vc@peoplelinkvc.com

INTERNATIONAL CONTACT NUMBERS

USA: +1-321-2163070

Africa: +27-10-5001977

UK: +44-20-35190197 Australia: +61-29-0988367 Middle East: +973-1-

6199342

Canada: +1-647-4964195







 $(\mathsf{in})(\mathsf{y})(\mathsf{f})(\mathsf{D})(\mathsf{G})(\mathsf{G})$ www.peoplelinkvc.com/social-presence

DISCLAIMER: PeopleLink Unified Communications Pvt. Ltd., All rights reserved. All third party trademarks / products mentioned (If any) are the property of their respective owners. Product Images are for illustration purpose only. Actual product may vary due to product enhancements. All specifications are subject to change without notice; system specifics may

PeopleLink Public Document | PeopleLink Unified Communications Pvt. Ltd. | ISO 9001:2015 & ISO/IEC 27001:2013 Certified Company.

